



L. TOWERS Y C.^a
GUADAÑADORAS Y SEGADORAS
ALTER A. WOOD

A black and white illustration showing two horses harnessed together, pulling a wooden cart or carriage. The horse in the foreground is white with a dark mane and tail, while the one behind is dark. The cart has a simple wooden frame with a flat top. The background is dark and indistinct.

92.579 de las máquinas de Walter A. Wood se han
desde el año 1892 (las mayores ventas en el mun-
su superior calidad y de la satisfacción que dan a
todas partes del mundo donde se cultiva la tierra.
la réplica.

PARA ATAR VELLONES



ERAS DE ESQUILAR

DICAMENTOS

5 años por los principales criadores de ganado y
el Reino Unido y de las Colonias Británicas

DAY, SON & BEWITT, LONDRES

de caballar, vacuno, lanar y porcino

Two mechanical devices for processing rubber sheets. The device on the left is a smaller machine with a hand crank and a roller. The device on the right is a larger machine with a hand crank and a roller, mounted on a tripod stand.

Trillar avena—Máquinas para triturar maíz

MÁQUINAS TRILLADORAS

The illustration shows two types of threshing machines. On the left is a smaller, horse-drawn model with a single horse and a simple frame. On the right is a larger, more complex industrial model with multiple gears, a large flywheel, and a sturdy metal frame, likely designed for use in a stationary or larger-scale agricultural setting.

para talleres y establecimientos industriales
SOMES, SINS, & JEFFERIES LD., IPSWICH

PARA ENFARDAR PASTO

RILLOS PARA PASTO

DE ACERO. ARADOS DE ACERO



FABRICA DE HAYWARD EN POLVO

PARA CURAR
LA
SARNA

LA DE HAYWARD

LA MANQUERA
PRUBADA SIEMPRE EMPLEADA
DIO DE HAYWARD
PARA CURAR
MBRICES
IONES y GARGANTA de las OVEJAS

E DE HAYWARD
PARA
NO VACUNO Y CABALLAR
Depósito de fierro, carbon de piedra
sal de roca, etc.
S & C - 101 calle 25 de Agosto 109

